

Steven L. Beshear  
Governor



Leonard K. Peters  
Secretary

**Energy and Environment Cabinet**  
Department for Environmental Protection  
Division of Water  
200 Fair Oaks Lane, 4<sup>th</sup> Floor  
Frankfort, Kentucky 40601  
Phone: (502) 564-3410  
water.ky.gov

November 14, 2014

Mr. Greg Cook, Supervisor  
City of Scottsville  
201 West Main Street  
Scottsville, Kentucky 41264

Re: Asset Inventory for  
City of Scottsville  
Allen County, Kentucky  
AI ID: 23; PLN20120002

Dear Mr. Cook:

The Asset Inventory Report for the City of Scottsville dated June 29, 2012, has been reviewed by this Division and found to conform with the requirements contained in administrative regulation 401 KAR 5:006.

The Division accepts the Asset Inventory Report in lieu of a Facility Plan. Acceptance of the Asset Inventory is hereby given based on the attached Asset Inventory Assessment Report which provides recommendations related to facility planning, operation, and management in an effort to ensure continued compliance with applicable regulations and protection of the waters of the Commonwealth.

Any questions may be directed to our office at (502) 564-3410.

Sincerely,

A handwritten signature in blue ink, appearing to read "Cindy McDonald".

Cindy McDonald, Supervisor  
Wastewater Planning Section  
Water Infrastructure Branch

CM  
Attachment

Cc: Joseph Pavoni, P.E., LEED AP  
GRW, Inc.

Steven L. Beshear  
Governor



Leonard K. Peters  
Secretary

**Energy and Environment Cabinet**  
Department for Environmental Protection  
Division of Water  
300 Fair Oaks Lane  
Frankfort, Kentucky 40601  
Phone: (502) 564-2150  
www.dep.ky.gov

**R. Bruce Scott**  
Commissioner

## ASSET INVENTORY ASSESSMENT REPORT

City of Scottsville, Allen County, Kentucky

AI 23; PLN20120002

The City of Elkton has submitted, for approval by the Energy and Environment Cabinet (EEC), an Asset Inventory Report Form titled "*Asset Inventory Report, City of Scottsville, Kentucky*" dated June 29, 2012 in lieu of a Facilities Plan. In accordance with 401 KAR 5:006, the Department for Environmental Protection (DEP) has prepared an Asset Inventory Assessment Report that summarizes the wastewater assets and their condition.

The Asset Inventory Assessment Report contains information related to organization structure and wastewater assets and is included in the following sections: A) Existing Wastewater Facilities; B) Water Quality; C) Current Finances and Future Needs; and D) Recommendations.

Interested persons are encouraged to submit comments on this assessment report within thirty (30) calendar days of the issue date. The EEC will take no action on this report until after the public comment period has ended and will evaluate all comments before a decision is made to proceed with approval of the Asset Inventory Report. Written comments are to be forwarded to Cindy McDonald, Supervisor, Wastewater Municipal Planning Section, Water Infrastructure Branch, Division of Water, 200 Fair Oaks 4<sup>th</sup> Floor, Frankfort, Kentucky 40601, or by e-mail to [cindy.mcdonald@ky.gov](mailto:cindy.mcdonald@ky.gov).

Sincerely,

A handwritten signature in blue ink, appearing to read "R. Bruce Scott", written over a horizontal line.

R. Bruce Scott, Commissioner  
Department for Environmental Protection

CM